

Table 3.48C Grade Average of "D" or Lower for the Last Grading Period Completed, by Demographic Characteristics (I), and Selected Drug Use, by Grade Average for the Last Grading Period Completed (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2002

(I) Demographic Characteristic	Grade Average for Last Grading Period Completed ¹	(II) Drug Use	Grade Average for Last Grading Period Completed ¹	
	"D" or Lower		"D" or Lower	"A," "B," or "C"
TOTAL	49	PAST MONTH		
AGE		Any Illicit Drug ²	23	65
12-13	24	Marijuana	18	54
14-15	27	Any Illicit Drug Other Than Marijuana ²	18	44
16-17	29	Cigarettes	27	66
GENDER		Alcohol	25	81
Male	37	Binge Alcohol ³	21	62
Female	30	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	29	97
Not Hispanic or Latino	43	Marijuana	27	78
White	37	Any Illicit Drug Other Than Marijuana ²	24	73
Black or African American	19	Cigarettes	31	90
American Indian or Alaska Native	6	Alcohol	33	127
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	8	Any Illicit Drug ²	36	118
Two or More Races	4	Marijuana	32	89
Hispanic or Latino	22	Any Illicit Drug Other Than Marijuana ²	32	93
COUNTY TYPE		Cigarettes	37	122
Large Metro	36	Alcohol	38	151
Small Metro	26			
Nonmetro	19			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported their school does not give these grades were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.48D Grade Average of "D" or Lower for the Last Grading Period Completed, by Demographic Characteristics (I), and Selected Drug Use, by Grade Average for the Last Grading Period Completed (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2002

(I) Demographic Characteristic	Grade Average for Last Grading Period Completed ¹	(II) Drug Use	Grade Average for Last Grading Period Completed ¹	
	"D" or Lower		"D" or Lower	"A," "B," or "C"
TOTAL	0.21	PAST MONTH		
AGE		Any Illicit Drug ²	1.48	0.31
12-13	0.34	Marijuana	1.21	0.26
14-15	0.35	Any Illicit Drug Other Than Marijuana ²	1.22	0.22
16-17	0.39	Cigarettes	1.66	0.31
GENDER		Alcohol	1.64	0.36
Male	0.33	Binge Alcohol ³	1.44	0.29
Female	0.28	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	1.64	0.41
Not Hispanic or Latino	0.22	Marijuana	1.56	0.34
White	0.26	Any Illicit Drug Other Than Marijuana ²	1.59	0.34
Black or African American	0.62	Cigarettes	1.76	0.37
American Indian or Alaska Native	3.12	Alcohol	1.70	0.47
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	0.91	Any Illicit Drug ²	1.82	0.44
Two or More Races	1.26	Marijuana	1.69	0.37
Hispanic or Latino	0.66	Any Illicit Drug Other Than Marijuana ²	1.87	0.38
COUNTY TYPE		Cigarettes	1.80	0.45
Large Metro	0.33	Alcohol	1.65	0.47
Small Metro	0.37			
Nonmetro	0.41			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported their school does not give these grades were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.49C Liked or Kind of Liked Going to School During the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings About Going to School (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2002

(I) Demographic Characteristic	Youths' Feelings About Going to School ¹	(II) Drug Use	Youths' Feelings About Going to School ¹	
	Liked a Lot/Kind of Liked		Liked a Lot/Kind of Liked	Didn't Like Very Much/Hated
TOTAL	246	PAST MONTH		
		Any Illicit Drug ²	59	42
AGE		Marijuana	49	37
12-13	120	Any Illicit Drug Other Than Marijuana ²	37	32
14-15	120	Cigarettes	56	50
16-17	108	Alcohol	70	51
		Binge Alcohol ³	53	43
GENDER		PAST YEAR		
Male	154	Any Illicit Drug ²	81	59
Female	155	Marijuana	65	52
		Any Illicit Drug Other Than Marijuana ²	60	48
HISPANIC ORIGIN AND RACE		Cigarettes	77	60
Not Hispanic or Latino	217	Alcohol	109	70
White	176			
Black or African American	96	LIFETIME		
American Indian or Alaska Native	*	Any Illicit Drug ²	100	68
Native Hawaiian or Other Pacific Islander	*	Marijuana	77	59
Asian	56	Any Illicit Drug Other Than Marijuana ²	79	58
Two or More Races	22	Cigarettes	106	73
Hispanic or Latino	103	Alcohol	129	78
COUNTY TYPE				
Large Metro	200			
Small Metro	146			
Nonmetro	87			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.49D Liked or Kind of Liked Going to School During the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings About Going to School (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2002

(I) Demographic Characteristic	Youths' Feelings About Going to School ¹	(II) Drug Use	Youths' Feelings About Going to School ¹	
	Liked a Lot/Kind of Liked		Liked a Lot/Kind of Liked	Didn't Like Very Much/Hated
TOTAL	0.38	PAST MONTH		
AGE		Any Illicit Drug ²	0.32	0.75
12-13	0.60	Marijuana	0.27	0.67
14-15	0.68	Any Illicit Drug Other Than Marijuana ²	0.21	0.62
16-17	0.67	Cigarettes	0.30	0.86
GENDER		Alcohol	0.36	0.85
Male	0.57	Binge Alcohol ³	0.29	0.76
Female	0.48	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	0.41	0.92
Not Hispanic or Latino	0.40	Marijuana	0.34	0.87
White	0.47	Any Illicit Drug Other Than Marijuana ²	0.32	0.84
Black or African American	0.82	Cigarettes	0.38	0.94
American Indian or Alaska Native	*	Alcohol	0.49	0.99
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	1.94	Any Illicit Drug ²	0.45	0.96
Two or More Races	2.65	Marijuana	0.38	0.94
Hispanic or Latino	1.00	Any Illicit Drug Other Than Marijuana ²	0.38	0.90
COUNTY TYPE		Cigarettes	0.49	1.00
Large Metro	0.53	Alcohol	0.51	0.95
Small Metro	0.75			
Nonmetro	0.76			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.50C Always or Sometimes Felt in the Past Year That Assigned Schoolwork Was Meaningful and Important, by Demographic Characteristics (I), and Selected Drug Use, by How Often Youths Felt That Assigned Schoolwork Was Meaningful and Important (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2002

(I) Demographic Characteristic	Assigned Schoolwork Was Meaningful and Important ¹	(II) Drug Use	Assigned Schoolwork Was Meaningful and Important ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	242	PAST MONTH		
AGE		Any Illicit Drug ²	58	41
12-13	124	Marijuana	47	35
14-15	112	Any Illicit Drug Other Than Marijuana ²	39	31
16-17	107	Cigarettes	60	44
GENDER		Alcohol	70	47
Male	153	Binge Alcohol ³	51	40
Female	151	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	84	55
Not Hispanic or Latino	215	Marijuana	68	49
White	172	Any Illicit Drug Other Than Marijuana ²	62	44
Black or African American	96	Cigarettes	81	55
American Indian or Alaska Native	*	Alcohol	108	67
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	59	Any Illicit Drug ²	103	64
Two or More Races	22	Marijuana	81	53
Hispanic or Latino	103	Any Illicit Drug Other Than Marijuana ²	83	55
COUNTY TYPE		Cigarettes	111	68
Large Metro	196	Alcohol	129	75
Small Metro	140			
Nonmetro	92			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.50D Always or Sometimes Felt in the Past Year That Assigned Schoolwork Was Meaningful and Important, by Demographic Characteristics (I), and Selected Drug Use, by How Often Youths Felt That Assigned Schoolwork Was Meaningful and Important (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2002

(I) Demographic Characteristic	Assigned Schoolwork Was Meaningful and Important ¹	(II) Drug Use	Assigned Schoolwork Was Meaningful and Important ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	0.36	PAST MONTH		
AGE		Any Illicit Drug ²	0.31	0.73
12-13	0.58	Marijuana	0.26	0.64
14-15	0.63	Any Illicit Drug Other Than Marijuana ²	0.22	0.59
16-17	0.68	Cigarettes	0.33	0.77
GENDER		Alcohol	0.36	0.80
Male	0.53	Binge Alcohol ³	0.28	0.71
Female	0.49	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	0.42	0.86
Not Hispanic or Latino	0.39	Marijuana	0.35	0.82
White	0.45	Any Illicit Drug Other Than Marijuana ²	0.34	0.76
Black or African American	0.76	Cigarettes	0.41	0.88
American Indian or Alaska Native	*	Alcohol	0.48	0.91
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	2.10	Any Illicit Drug ²	0.48	0.94
Two or More Races	2.89	Marijuana	0.41	0.87
Hispanic or Latino	0.98	Any Illicit Drug Other Than Marijuana ²	0.41	0.87
COUNTY TYPE		Cigarettes	0.52	0.96
Large Metro	0.53	Alcohol	0.50	0.91
Small Metro	0.61			
Nonmetro	0.84			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.51C Things Learned in School During the Past Year Are Going to Be Very or Somewhat Important Later in Life, by Demographic Characteristics (I), and Selected Drug Use, by Level of Importance Later in Life of Things Learned in School (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2002

(I) Demographic Characteristic	Importance Later in Life of Things Learned in School ¹	(II) Drug Use	Importance Later in Life of Things Learned in School ¹	
	Very/Somewhat Important		Very/Somewhat Important	Very/Somewhat Unimportant
TOTAL	263	PAST MONTH		
AGE		Any Illicit Drug ²	64	31
12-13	130	Marijuana	53	26
14-15	121	Any Illicit Drug Other Than Marijuana ²	45	24
16-17	112	Cigarettes	67	32
GENDER		Alcohol	77	36
Male	166	Binge Alcohol ³	57	31
Female	160	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	95	43
Not Hispanic or Latino	236	Marijuana	77	38
White	195	Any Illicit Drug Other Than Marijuana ²	70	35
Black or African American	102	Cigarettes	89	38
American Indian or Alaska Native	*	Alcohol	119	52
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	60	Any Illicit Drug ²	115	50
Two or More Races	23	Marijuana	90	42
Hispanic or Latino	109	Any Illicit Drug Other Than Marijuana ²	91	42
COUNTY TYPE		Cigarettes	119	50
Large Metro	209	Alcohol	143	56
Small Metro	156			
Nonmetro	96			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.51D Things Learned in School During the Past Year Are Going to Be Very or Somewhat Important Later in Life, by Demographic Characteristics (I), and Selected Drug Use, by Level of Importance Later in Life of Things Learned in School (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2002

(I) Demographic Characteristic	Importance Later in Life of Things Learned in School ¹	(II) Drug Use	Importance Later in Life of Things Learned in School ¹	
	Very/Somewhat Important		Very/Somewhat Important	Very/Somewhat Unimportant
TOTAL	0.26	PAST MONTH		
AGE		Any Illicit Drug ²	0.32	1.07
12-13	0.36	Marijuana	0.26	0.90
14-15	0.48	Any Illicit Drug Other Than Marijuana ²	0.22	0.91
16-17	0.53	Cigarettes	0.32	1.04
GENDER		Alcohol	0.35	1.16
Male	0.37	Binge Alcohol ³	0.27	1.04
Female	0.40	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	0.43	1.28
Not Hispanic or Latino	0.29	Marijuana	0.35	1.20
White	0.34	Any Illicit Drug Other Than Marijuana ²	0.33	1.15
Black or African American	0.53	Cigarettes	0.39	1.14
American Indian or Alaska Native	*	Alcohol	0.47	1.31
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	1.47	Any Illicit Drug ²	0.46	1.33
Two or More Races	1.80	Marijuana	0.40	1.24
Hispanic or Latino	0.73	Any Illicit Drug Other Than Marijuana ²	0.39	1.28
COUNTY TYPE		Cigarettes	0.48	1.28
Large Metro	0.40	Alcohol	0.48	1.21
Small Metro	0.49			
Nonmetro	0.55			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.52C Courses at School During the Past Year Have Been Very or Somewhat Interesting, by Demographic Characteristics (I), and Selected Drug Use, by How Interesting Courses at School Have Been (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2002

(I) Demographic Characteristic	How Interesting Courses at School Have Been ¹	(II) Drug Use	How Interesting Courses at School Have Been ¹	
	Very/Somewhat Interesting		Very/Somewhat Interesting	Very/Somewhat Boring
TOTAL	239	PAST MONTH		
AGE		Any Illicit Drug ²	58	41
12-13	119	Marijuana	46	35
14-15	115	Any Illicit Drug Other Than Marijuana ²	41	30
16-17	108	Cigarettes	58	45
GENDER		Alcohol	71	49
Male	151	Binge Alcohol ³	53	39
Female	150	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	85	56
Not Hispanic or Latino	212	Marijuana	68	49
White	170	Any Illicit Drug Other Than Marijuana ²	64	43
Black or African American	91	Cigarettes	78	56
American Indian or Alaska Native	*	Alcohol	108	70
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	58	Any Illicit Drug ²	103	65
Two or More Races	22	Marijuana	80	54
Hispanic or Latino	103	Any Illicit Drug Other Than Marijuana ²	82	53
COUNTY TYPE		Cigarettes	109	68
Large Metro	190	Alcohol	131	78
Small Metro	141			
Nonmetro	88			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.52D Courses at School During the Past Year Have Been Very or Somewhat Interesting, by Demographic Characteristics (I), and Selected Drug Use, by How Interesting Courses at School Have Been (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2002

(I) Demographic Characteristic	How Interesting Courses at School Have Been ¹	(II) Drug Use	How Interesting Courses at School Have Been ¹	
	Very/Somewhat Interesting		Very/Somewhat Interesting	Very/Somewhat Boring
TOTAL	0.38	PAST MONTH		
AGE		Any Illicit Drug ²	0.32	0.70
12-13	0.66	Marijuana	0.26	0.62
14-15	0.65	Any Illicit Drug Other Than Marijuana ²	0.24	0.53
16-17	0.67	Cigarettes	0.32	0.73
GENDER		Alcohol	0.38	0.78
Male	0.53	Binge Alcohol ³	0.30	0.65
Female	0.54	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	0.45	0.82
Not Hispanic or Latino	0.40	Marijuana	0.36	0.78
White	0.46	Any Illicit Drug Other Than Marijuana ²	0.36	0.71
Black or African American	0.87	Cigarettes	0.39	0.84
American Indian or Alaska Native	*	Alcohol	0.51	0.92
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	2.03	Any Illicit Drug ²	0.49	0.87
Two or More Races	2.61	Marijuana	0.41	0.81
Hispanic or Latino	1.03	Any Illicit Drug Other Than Marijuana ²	0.41	0.80
COUNTY TYPE		Cigarettes	0.51	0.92
Large Metro	0.57	Alcohol	0.53	0.93
Small Metro	0.62			
Nonmetro	0.88			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.53C Teachers Always or Sometimes Let Youths Know They Were Doing a Good Job with Schoolwork in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Teachers Let Youths Know They Were Doing a Good Job with Schoolwork (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2002

(I) Demographic Characteristic	Teachers Let Youths Know They Were Doing a Good Job With Schoolwork ¹	(II) Drug Use	Teachers Let Youths Know They Were Doing a Good Job With Schoolwork ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	231	PAST MONTH		
AGE		Any Illicit Drug ²	58	38
12-13	116	Marijuana	47	34
14-15	113	Any Illicit Drug Other Than Marijuana ²	38	28
16-17	101	Cigarettes	58	44
GENDER		Alcohol	69	49
Male	152	Binge Alcohol ³	54	38
Female	143	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	85	57
Not Hispanic or Latino	203	Marijuana	70	48
White	168	Any Illicit Drug Other Than Marijuana ²	62	45
Black or African American	91	Cigarettes	79	54
American Indian or Alaska Native	21	Alcohol	107	73
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	62	Any Illicit Drug ²	103	68
Two or More Races	20	Marijuana	81	54
Hispanic or Latino	103	Any Illicit Drug Other Than Marijuana ²	79	58
COUNTY TYPE		Cigarettes	108	71
Large Metro	184	Alcohol	125	82
Small Metro	142			
Nonmetro	82			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.53D Teachers Always or Sometimes Let Youths Know They Were Doing a Good Job with Schoolwork in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Teachers Let Youths Know They Were Doing a Good Job with Schoolwork (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2002

(I) Demographic Characteristic	Teachers Let Youths Know They Were Doing a Good Job With Schoolwork ¹	(II) Drug Use	Teachers Let Youths Know They Were Doing a Good Job With Schoolwork ¹	
	Always/Sometimes		Always/Sometimes	Seldom/Never
TOTAL	0.39	PAST MONTH		
AGE		Any Illicit Drug ²	0.32	0.65
12-13	0.57	Marijuana	0.27	0.58
14-15	0.64	Any Illicit Drug Other Than Marijuana ²	0.22	0.50
16-17	0.72	Cigarettes	0.32	0.73
GENDER		Alcohol	0.37	0.74
Male	0.54	Binge Alcohol ³	0.30	0.62
Female	0.56	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	0.43	0.85
Not Hispanic or Latino	0.41	Marijuana	0.37	0.74
White	0.46	Any Illicit Drug Other Than Marijuana ²	0.34	0.73
Black or African American	1.02	Cigarettes	0.40	0.83
American Indian or Alaska Native	5.32	Alcohol	0.50	0.91
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	2.40	Any Illicit Drug ²	0.47	0.92
Two or More Races	2.72	Marijuana	0.41	0.79
Hispanic or Latino	1.09	Any Illicit Drug Other Than Marijuana ²	0.39	0.85
COUNTY TYPE		Cigarettes	0.50	0.96
Large Metro	0.60	Alcohol	0.50	0.95
Small Metro	0.70			
Nonmetro	0.68			

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.